

PRESENTED BY



**AN ISO/IEC 17025:2017
ACCREDITED CALIBRATION COMPANY**

DALLAS FT WORTH AUSTIN HOUSTON

NICOLSCALES.COM

800.225.8181

[CONTACT US](#)

NICOL SCALES & MEASUREMENT IS AN ISO ACCREDITED CALIBRATION COMPANY THAT HAS PROVIDED CALIBRATION, REPAIR AND SALES OF ALL TYPES OF WEIGHING AND MEASUREMENT PRODUCTS SINCE 1931.

VTG Tornado

touchscreen digital torque tester

Leading-edge digital torque tester combining intuitive touchscreen control with all-around and dedicated closure measurement features – powered by Vector OS





A versatile, IP54-rated, portable touchscreen instrument, designed to test the applied and release torque of a diverse range of products.

Easy-to-use digital torque tester, with real-time graph plotting to identify when the bridges of tamper-evident caps are broken.

Hits new heights as a simple, accurate and cost-effective solution for a variety of torque applications.



Tamper proof

Test Tamper-Evident (TE) closures
Capture both initial 'slip torque' and subsequent 'bridge torque' with ease.



Measure cap torque

Measure clockwise and counter-clockwise cap torque and the complete behaviour of rotating components



Portable

Lightweight moulder case with handle – easily carry to test locations. Suitable for use in pharmaceutical laboratories.



Splash resistant

Rugged and splash-resistant case IP 54 rating, ideal for use on the factory floor. Non-painted polypropylene.



Visualisation

Powerful data analysis with live graphing and configurable values - pinch or drag to zoom or pan test result graphs



Capacities

Four capacity models; from a 1.5 N.m option for delicate assessments, 3 N.m, 6 N.m and 10 N.m capacity models



Touchscreen

Easy-to-use icons and customisable interfaces – swipe or press and hold to access menus and options



Battery life

Fast-charging lithium-ion battery for more testing and less charging (compared with NiMH batteries)





Discover your next Mecmesin torque tester
online - visit mecmesin.com/vtg



+44 (0)1403 799979 | mecmesin.com | info@mecmesin.com