

PRESENTED BY



**AN ISO/IEC 17025:2017
ACCREDITED CALIBRATION COMPANY**


DALLAS FT WORTH AUSTIN HOUSTON

NICOLSCALES.COM

800.225.8181

[CONTACT US](#)

NICOL SCALES & MEASUREMENT IS AN ISO ACCREDITED CALIBRATION COMPANY THAT HAS PROVIDED CALIBRATION, REPAIR AND SALES OF ALL TYPES OF WEIGHING AND MEASUREMENT PRODUCTS SINCE 1931.



TANK MOUNTS

LOAD CELL TANK MOUNT KITS

CUTTING-EDGE TECHNOLOGY

Over 95 years of combined manufacturing experience

LOAD CELL TANK MOUNTS

B-TEK offers a variety of load cell tank mount assemblies. Kits are available with gross capacities from 1,500 to 300,000 lbs. and are produced in zinc plated carbon steel and 304 stainless steel. Mounting kits can be used with vertical / horizontal storage tanks, bulk material hoppers, product mixers, and any type of weighbridge platform. Load cells are available in plated steel, stainless steel and hermetically sealed stainless steel. B-TEK's tank mount assemblies are constructed to provide the highest level of accuracy, repeatability and long life performance.



LCMT Series

- Total capacities from 3,000 lbs to 80,000 lbs
- Painted carbon or stainless steel construction
- Shear beam load cells and 25' of B-TEK load cell cable
- Mount assembly is self-checking, self-centering and has anti-tip protection

Applications:

- Small tanks
- Hoppers
- Conveyors



SETM Series

- Total capacities from 1,500 lbs to 40,000 lbs
- Zinc plated carbon or stainless steel construction
- Shear beam load cells and 25' of B-TEK load cell cable
- Mount assembly is self-checking, and self-centering

Applications:

- Small tanks
- Hoppers
- Conveyors
- Batching / blending systems




DETM Series

- Total capacities from 3,000 lbs to 300,000 lbs
- Zinc plated carbon or stainless steel construction
- Double ended load cells and 25' of B-TEK load cell cable
- Mount assembly is self-checking, and self-centering

Applications:

- Hoppers
- Tanks
- Bins
- Material handling where process control is required



EZTM Series

- Total capacities from 15,000 lbs to 240,000 lbs
- Zinc plated carbon or stainless steel construction
- Double ended load cells and 25' of B-TEK load cell cable
- Mount assembly is self-checking and self-centering

Applications:

- Hoppers
- Tanks
- Bins
- Material handling where process control is required



B-TEK Distributor

